

## TGRG Specifications

| MODEL          | COOLING<br>BTUH* | SEER<br>(Cooling) | HEATING<br>BTUH | AFUE*<br>(Heating) | CFM  | BLOWER<br>SPEEDS | DIMENSIONS<br>H X W X D (IN.)   | SHIPPING<br>WT. (LBS) |
|----------------|------------------|-------------------|-----------------|--------------------|------|------------------|---|-----------------------|
| TGRG24C-1K-40  | 23,600           | 13.0              | 40,000          | 80.0%              | 800  | 2                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 421                   |
| TGRG24C-1K-60  | 23,600           | 13.0              | 60,000          | 80.0%              | 800  | 2                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 425                   |
| TGRG24C-1K-80  | 23,600           | 13.0              | 80,000          | 80.0%              | 800  | 2                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 430                   |
| TGRG30C-1K-60  | 28,600           | 13.0              | 60,000          | 80.0%              | 1000 | 3                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 444                   |
| TGRG30C-1K-80  | 28,600           | 13.0              | 80,000          | 80.0%              | 1000 | 3                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 449                   |
| TGRG36C-1K-80  | 35,600           | 13.0              | 80,000          | 80.0%              | 1200 | 3                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 462                   |
| TGRG36C-1K-100 | 35,600           | 13.0              | 100,000         | 80.0%              | 1200 | 3                | 35 <sup>15</sup> / <sub>16</sub> X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub> | 466                   |
| TGRG42C-1K-100 | 42,000           | 13.0              | 100,000         | 80.0%              | 1400 | 3                | 41 X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub>                               | 477                   |
| TGRG48C-1K-100 | 48,000           | 13.0              | 100,000         | 80.0%              | 1600 | 3                | 41 X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub>                               | 511                   |
| TGRG60C-1K-100 | 57,500           | 13.0              | 100,000         | 80.0%              | 1850 | 3                | 41 X 52 <sup>7</sup> / <sub>16</sub> X 47 <sup>1</sup> / <sub>2</sub>                               | 577                   |

\* Annual Fuel Usage Efficiency