Century®

SE Series

SPLIT AIR CONDITIONER SYSTEM

Single Stage - 14.3 to 15.2 SEER2





HEAT CONTROLLER

SPLIT AIR CONDITIONER SYSTEM



RSA14 FEATURES

- R410A chlorine-free refrigerant
- Energy-efficient compressor
- Internal protection against high temperature motor overload conditions
- High quality condenser with inner-groove copper tube and aluminum fin
- 45° Service valves with sweat connections and easy-access gauge ports
- Factory-installed high pressure switch and low pressure switch
- AHRI certified and ETL listed
- Compact design, easy installation and transportation
- Powder-coated galvanized steel cabinet
- Wire fan discharge grille
- Steel louver coil guard

RSA14 SPECS AT A GLANCE

Model	Tonnage	Sound Power (dB)	Dimensions (in.) (H x W x D)
RSA1418S1A	1.5	69	24-15/16 x 23-5/8 x 23-5/8
RSA1424S1A	2.0	72	24-15/16 x 23-5/8 x 23-5/8
RSA1430S1A	2.5	75	24-15/16 x 28 x 28
RSA1436S1A	3.0	76	24-15/16 x 29-1/8 x 29-1/8
RSA1442S1A	3.5	77	33-3/16 x 28 x 28
RSA1448S1A	4.0	78	33-3/16 x 28 x 28
RSA1460S1A	5.0	81	33-3/16 x 29-1/8 x 29-1/8



SPLIT AIR CONDITIONER SYSTEM



RSA15 FEATURES

- R410A chlorine-free refrigerant
- Energy-efficient compressor
- Internal protection against high temperature motor overload conditions
- High quality condenser with inner-groove copper tube and aluminum fin
- 45° Service valves with sweat connections and easy-access gauge ports
- Factory-installed high pressure switch and low pressure switch
- AHRI certified and ETL listed
- Compact design, easy installation and transportation
- Powder-coated galvanized steel cabinet
- Wire fan discharge grille
- Steel louver coil guard

RSA15 SPECS AT A GLANCE

Model	Tonnage	Sound Power (dB)	Dimensions (in.) (H x W x D)
RSA1518S1A	1.5	70	24-15/16 x 23-5/8 x 23-5/8
RSA1524S1A	2.0	73	24-15/16 x 28 x 28
RSA1530S1A	2.5	72	24-15/16 x 28 x 28
RSA1536S1A	3.0	75	24-15/16 x 29-1/8 x 29-1/8
RSA1542S1A	3.5	75	33-3/16 x 29-1/8 x 29-1/8
RSA1548S1A	4.0	76	33-3/16 x 29-1/8 x 29-1/8
RSA1560S1A	5.0	77	33-3/16 x 29-1/8 x 29-1/8

Century®

SE Series



COME HOME TO COMFORT. COME HOME TO CENTURY®

When you think about everything Century® delivers, your decision is easy. With Century®, all your heating and cooling questions are answered. The performance and reliability you want are right here, and ready to go to work.

Century®. It's the right choice.

"This product complies with all California product labeling laws including, but not limited to, the Safe Drinking Water and Toxic Enforcement Act of 1986, more commonly known as Proposition 65."

Due to ongoing product improvements, specifications and dimensions are subject to change and correction without notice or incurring obligations. Determining the application and suitability for use of any product is the responsibility of the installer. Additionally, the installer is responsible for verifying dimensional data on the actual product prior to beginning any installation preparations.

Third party incentive and rebate programs have precise requirements as to product performance and certification. All products meet applicable regulations in effect on date of manufacture; however, certifications are not necessarily granted for the life of a product. Therefore, it is the responsibility of the applicant to determine whether a specific model qualifies for these incentive/rebate programs.

1900 Wellworth Ave., Jackson MI 49203 • 517.787.2100
www.heatcontroller.com • www.century-hvac.com

HEAT CONTROLLER
Confidence in any climate
Century

CY-RSA 3/26